

SOWA Pro

Professional Audio, made easy



Sound	6" Woofer + 3/4" Dome Tweeter
Battery	25+ Hours at 80%
Charging time	3 Hours
Linking	Unlimited amount of speakers
Inputs	Bluetooth, XLR & Mini-jack
Individual control	Delay, Volume offset, and Stereo/Mono



SOWA Pro XL

Bigger, louder, and superior.

Sound	12" Woofer + compression driver
Battery	15+ Hours at 80%
Charging time	3 Hours
Linking	Unlimited amount of speakers
Inputs	Bluetooth, XLR & Mini-jack
Individual control	Delay, Volume offset, and Stereo/Mono

Sound Characteristics

- Transducers: 6" woofer, ferrite magnet / 3/4" soft dome tweeter
- Frequency range (-3 dB): 80 Hz-20 kHz
- SPL max: 101 dB(A) @ 1 meter
- Dispersion (H x V): 120° x 120°
- Digital signal processing: Analog devices DSP.
- Tuned at the Bang & Olufsen test facilities and Soundhub Denmark.

- Transducers: 12" woofer, copression driver
- Frequency range (-3 dB): 53 Hz-20 kHz
- SPL max: 112 dB(A) @ 1 meter
- Dispersion (H x V): 40° x 120°
- Digital signal processing: Analog devices DSP.
- Tuned at the Bang & Olufsen test facilities and Soundhub Denmark.

Inputs

- Neutrik XLR/TRS combo jack (with DSP presents and gain knob)
- 3.5 mm stereo (with gain knob)
- Bluetooth 5.0

- Neutrik XLR/TRS combo jack (with DSP presents and gain knob)
- 3.5 mm stereo (with gain knob)
- Bluetooth 5.0

Dimensions & Formfactor

- Dimensions (W x H x D): 270 x 270 x 270 mm
- Cabinet Material: Solid birch plywood w. reconstituted birch veneer
- Weight: 7 k
- Magnetic front cover
- Modular design for easy repair and maintainance

- Dimensions (W x H x D): 560 x 340 x 330 mm
- Cabinet Material: Solid birch plywood w. reconstituted birch veneer
- Weight: 15 kg
- Magnetic front cover
- Modular design for easy repair and maintainance

Control options

- Delay: up to 290 ms
- Mono/Stereo
- Volume offset (up or down from system volume)

- Delay: up to 290 ms
- Mono/Stereo
- Volume offset (up or down from system volume)

Wireless Transmission

- Proprietary wireless audio broadcast technology in 2.4 GHz
- Sub 15 ms wireless link
- Link as many speakers as you need
- Any speaker can be host / join
- +200 m range (in line-of-sight)
- 48 kHz, 16 bit (stereo) transmission
- Extremely resilient towards WiFi and Bluetooth interference
- 4 proprietary wireless channels (up to 4 zones / rooms simultaneously)

- Proprietary wireless audio broadcast technology in 2.4 GHz
- Sub 15 ms wireless link
- Link as many speakers as you need
- Any speaker can be host / join
- +200 m range (in line-of-sight)
- 48 kHz, 16 bit (stereo) transmission
- Extremely resilient towards WiFi and Bluetooth interference
- 4 proprietary wireless channels (up to 4 zones / rooms simultaneously)

Power & Playtime

- Battery capacity: 97 Wh (Li-ion)
- Battery life: 25+ hours (playing music @ 80% volume)
- Charging: 26V, 2AA max (external power supply)
- Quick charging (3 hours from flat to full)
- Can be charged while playing

- Battery capacity: 97 Wh (Li-ion)
- Battery life: 15+ hours (playing music @ 80% volume)
- Charging: 26V, 2AA max (external power supply)
- Quick charging (3 hours from flat to full)
- Can be charged while playing

Extras

- Firmware update over Bluetooth (from Windows 10(+) PC)

- Firmware update over Bluetooth (from Windows 10(+) PC)