












































































MODELO	FAMILIA	TIPO	DESCRIPCIÓN	PVP
Receptor MRK960				
MRK960	Rack receiver: MRK960	Rack receiver	Dual True Diversity Receiver on 19" 1U rack - 370 MHz Tuning windows (2 ch's independent with tunables filters) - Range 470 MHz to 840 MHz (TV ch 21/67) - DSP audio treatment: •Wisyscom Companders: ENR,ENC, NONE-d50, NONE-d75 •Push to Talk Enabled - 25kHz step - 2 USB (to remote & link multiple systems) - RJ45 Ethernet interface - AES3 interface Code: MRK960-<Country>-<Option> • Country Power cord: EU Europe power cord UK United Kingdom power cord JP Japan Companders: JNR, JNC, ENR,ENC, NONE-d50, NONE-d75	4.200 €
				
UPG<Option>	Rack receiver: MRK960	Upgrade	Upgrade <Option> on MRK960: PTT/XRL/XRC/5K/ETS/AES	consultar
DIGCOM960	Rack receiver: MRK960	Option	Option for digital multicompanying operation for multivendor compatibility: SEN [HyDin+®], SEN-d0 [HyDin+®], EVO [HDX®], SR[R-Series®], SU[U-Series®], SK[Umk2-Series®], AL	240 €
				
PTT	Rack receiver: MRK960	Option	Option PTT (push to talk) to operate remotely (with handheld/beltpack ptt enabled): --> 2 additional AF outputs (usable also as audio splitter) --> 2 GPI signals	300 €
XRL	Rack receiver: MRK960	Option	Option for low impedance transformers on 2 audio line	240 €
XRC	Rack receiver: MRK960	Option	Option for low impedance transformers on 2 output COM NOTE - PTT option must be installed	240 €
5K	Rack receiver: MRK960	Option	Option 5Khz step	0 €
ETS	Rack receiver: MRK960	Option	Option for digital audio ETHERSOUND outputs: - back panel with 2 RJ45 - Ethersound card 100Btx NOTE - DIGCOM option must be installed - This cannot be installed along with AES	660 €
Receptor Portátil MCR42				
MCR42S	Eng-Film camera slot. Rx: MCR42S	Eng-Film camera slot. Rx	UHF DUAL TRUE-DIVERSITY MINIATURE (CAMERA) RECEIVER - up to 232 MHz switching-range (options N:470/700 M:566/798) - DSP audio treatment: •Wisyscom Companders: ENR,ENC, and ENR-1.2, ENC-1.2 (for enhanced audio profiles for DSLR and C300 cameras) •Push to Talk Enabled - Supplied with AWx42 broadband antennas - NOTE: Order DIGCOM42 for enhance DSP audio processing - NOTE: This is just the Rx module, please order relative kits: >>BPA42PTT Stand alone Kit >>SLK42-x Slot in kit Code: MCR42S-<Country>-<Band> • Country Configuration: EU Europe • Band: BN 470-700MHz BM 566-798MHz	2.700 €
				
MCR42S top feed	Eng-Film camera slot. Rx: MCR42S	Eng-Film camera slot. Rx	MCR42S with option for TOP feed of line/com	2.898 €
				
MCR41S	Eng-Film camera slot. Rx: MCR42S	Eng-Film camera slot. Rx	UHF TRUE-DIVERSITY MINIATURE (CAMERA) RECEIVER - up to 232 MHz switching-range (options N:470/700 M:566/798) - DSP audio treatment: •Wisyscom Companders: ENR,ENC, and ENR-1.2, ENC-1.2 (for enhanced audio profiles for DSLR and C300 cameras) •Push to Talk Enabled - Supplied with AWx42 broadband antennas - NOTE: Order DIGCOM42 for enhance DSP audio processing - NOTE: This is just the Rx module, please order relative kits: >>BPA42PTT Stand alone Kit >>SLK42-x Slot in kit Code: MCR41S-<Country>-<Band> • Country Configuration: EU Europe • Band: BN 470-700MHz BM 566-798MHz	1.962 €
				
MCR41S top feed	Eng-Film camera slot. Rx: MCR42S	Eng-Film camera slot. Rx	MCR41S with option for TOP feed of line/com	2.155 €
				
















MODELO	FAMILIA	TIPO	DESCRIPCIÓN	PVP
	UPG42	Eng-Film camera slot. Rx: MCR42S	Upgrade MCR41 to MCR42 upgrade: - Additional Receiver + Assembly + Calibration	1.140 €
	DIGCOM42	Eng-Film camera slot. Rx: MCR42S	Option DSP firmware modules for multivendor compatibility: SEN [HyDin+®], EVO [HDX®], SR[R-Series®], AL, OVL	240 €
	BPA41-K	Eng-Film camera slot. Rx: MCR42S	Kit "Stand-alone" KIT for MCR41: BPA42PTT + CAM 50-2 + CDC34 NOTE: to be used with proper back-panel (i.e. FLA42 or FLA42-SX)	336 €
	BPA42-K	Eng-Film camera slot. Rx: MCR42S	Kit "Stand-alone" KIT for MCR42: BPA42PTT + 2 x CAM 50-2 + CDC34 NOTE: to be used with proper back-panel (i.e. FLA42 or FLA42-SX)	383 €
	SLK42-IKSS	Eng-Film camera slot. Rx: MCR42S	Kit NEW SUPERSLOT/UNISLOT MOUNT ADAPTER Compatible with: - SuperSlot mixers (i.e. Sound Devices 668/SL-6) - Unislot (Ikegami, Panasonic cameras)	92 €
	SLK42-IK-PSC	Eng-Film camera slot. Rx: MCR42S	Kit "Slot-in" kit (upper flange +rear-panel) for Ikegami/Panasonic camera (DB25) with custom flange for Six Pack of PSC NOTE: SLK42-IK-PSC has 6dB of attenuation and works with 6pack only with analogue outputs. To use digital outputs, we suggest to use SLK42-IKSS.	92 €
	UFLA42-IK-PSC	Eng-Film camera slot. Rx: MCR42S	Kit custom flange for Six Pack of PSC (without rear panel)	65 €
	SLK42-IK	Eng-Film camera slot. Rx: MCR42S	Kit "Slot-in" kit (upper flange +rear-panel) for Ikegami/Panasonic camera	92 €
	SLK42-PH	Eng-Film camera slot. Rx: MCR42S	Kit "Slot-in" kit (upper flange + rear-panel) for Philips/Thompson/Grass Valley camera	92 €
	SLK42-SX	Eng-Film camera slot. Rx: MCR42S	Kit "Slot-in" kit (upper flange +rear-panel) for Sony camera. NOTE not all Sony cameras has the internal double pin enable. CHECK IF YOUR CAMERA SUPPORT 2 CHANNELS ON SLOT-IN SLK42-SX-0: Variant of Slot-in SONY without attenuation. Note: Standard SLK42-SX has 20dB of attenuation.	92 €
	UFLA42-IK-PSC	Eng-Film camera slot. Rx: MCR42S	Kit custom flange for Six Pack of PSC (without rear panel)	65 €
	BPA42PTT	Eng-Film camera slot. Rx: MCR42S	Microphones & Audio Adapters "Stand-alone" rear-panel: - 2 mini XLR-3pin male output (2 main analogue audio channel or 2 digital AES on 1st mini XLR) - 1 mini XLR-5pin male output (2 auxiliary audio output from push to talk function) - 1 Hirose connector for external power NOTE: to be used with proper back-panel (i.e. FLA42 or FLA42-SX) NOTE: Audio/Power cable are not included	234 €
	BPA42HPN	Eng-Film camera slot. Rx: MCR42S	Microphones & Audio Adapters "Stand-alone" rear-panel: - 2 mini XLR-3pin male output (2 main analogue audio channel or 2 digital AES on 1st mini XLR) - 1 locking mini jack Stereo Plug 3.5mm(TRS) - 1 Hirose connector for external power NOTE: to be used with proper back-panel (i.e. FLA42 or FLA42-SX) NOTE: Audio/Power cable are not included	234 €
	BPA42BAG	Eng-Film camera slot. Rx: MCR42S	Microphones & Audio Adapters "Stand alone" rear panel for ENG bag - 2 cables for main analogue/digital audio channels - 1 cable for external power Code: BPA42BAG-<option> ° Cables option: CAB pigtail cables CON with connectors (2 XLR-3M and Hirose 4pin)	295 €




MODELO	FAMILIA	TIPO	DESCRIPCIÓN	PVP
	CAM120-2	Eng-Film camera slot. Rx: MCR42S	Audio Cables AF cable (120 cm), mini XLR-3F / XLR-3M connectors	47 €
	CAM50-2	Eng-Film camera slot. Rx: MCR42S	Audio Cables AF cable (50 cm), mini XLR-3F / XLR-3M connectors	47 €
	CAM50-2-TFR	Eng-Film camera slot. Rx: MCR42S	Audio Cables AF cable (50 cm), mini XLR-3F / XLR-3M connectors line output isolated with audio transformer: - max input level: -3 dBu @ 1% THD - Source/Load impedance: 200/2k Ω (600/10k Ω)	138 €
	CAM50-3	Eng-Film camera slot. Rx: MCR42S	Audio Cables AF cable (50 cm), mini XLR-5F / 2 XLR-3M connectors	83 €
	CAM50-41	Eng-Film camera slot. Rx: MCR42S	Audio Cables AF cable (50 cm), mini XLR-5F / 1 XLR-3M connectors Line 1 feed XL3-M (TO BE USED FOR AES3 CAMERA INPUT)	65 €
	CAM50-42	Eng-Film camera slot. Rx: MCR42S	Audio Cables AF cable (50 cm), mini XLR-5F / 1 XLR-3M connectors Line 2 feed XL3-M (TO BE USED FOR AES3 CAMERA INPUT)	65 €
	CAP51-IK	Eng-Film camera slot. Rx: MCR42S	Audio Cables STAND ALONE HARNESS CABLE - DB25 (to MCR41, Ikegami/Panasonic slot-in compatible) - 1 XLR-3M (line output isolated with audio transformer) + Hirose (to camera)	144 €
	CAP52-IK	Eng-Film camera slot. Rx: MCR42S	Audio Cables STAND ALONE HARNESS CABLE - DB25 (to MCR42, Ikegami/Panasonic slot-in compatible) - 2 XLR-3M (line output isolated with audio transformer) + Hirose (power from camera)	198 €
	CAP51-SX	Eng-Film camera slot. Rx: MCR42S	Audio Cables STAND ALONE HARNESS CABLE - DB15 (to MCR41, Sony slot-in compatible) - 1 XLR-3M (line output isolated with audio transformer) + Hirose (power from camera)	144 €
	CAP52-SX	Eng-Film camera slot. Rx: MCR42S	Audio Cables STAND ALONE HARNESS CABLE - DB15 (to MCR42, Sony slot-in compatible) - 2 XLR-3M (line output isolated with audio transformer) + Hirose (power from camera)	198 €
	BCA42	Eng-Film camera slot. Rx: MCR42S	Battery/Power adapters Battery power supply module (5 x 1.5V AA) - Batteries included NOTE: BPA42 must be installed	252 €
	CDC34	Eng-Film camera slot. Rx: MCR42S	Power Cables External power feeding cable, Hirose/raw wires (50 cm)	55 €
	UPKMini	Eng-Film camera slot. Rx: MCR42S	Control Cables/Box Infrared programming kit (interface + software) USB interface	100 €
	AWH42	Eng-Film camera slot. Rx: MCR42S	Antennas Whip Antenna plastic case sma connector for MCR41/42 Broadband UHF 590-822 MHz (yellow head)	22 €
	AWL42	Eng-Film camera slot. Rx: MCR42S	Antennas Whip Antenna plastic case sma connector for MCR41/42 Broadband UHF 470-700 MHz (black head)	22 €
	AWN42	Eng-Film camera slot. Rx: MCR42S	Antennas Whip Antenna plastic case sma connector for MCR41/42 Broadband UHF 470-700 MHz (black head)	22 €
	AWM42	Eng-Film camera slot. Rx: MCR42S	Antennas Whip Antenna plastic case sma connector for MCR41/42 Broadband UHF 566-798 MHz (yellow head)	22 €
	AWN42RA	Eng-Film camera slot. Rx: MCR42S	Antennas Whip Antenna plastic case sma connector 90 deg. for MCR41/42 Broadband UHF 470-700 MHz (black head)	29 €
	AWM42RA	Eng-Film camera slot. Rx: MCR42S	Antennas Whip Antenna plastic case sma connector 90 deg. for MCR41/42 Broadband UHF 566-798 MHz (yellow head)	29 €
	AWKIT1	Eng-Film camera slot. Rx: MCR42S	Antennas KIT for 10 sma antennas for MCR42/MPR30 with caps and tube	180 €
	AWKIT2	Eng-Film camera slot. Rx: MCR42S	Antennas KIT for 10 sma (90 deg angled) antennas for MCR42/MPR30 with caps ar	230 €
	MCRMNT-TOP	Eng-Film camera slot. Rx: MCR42S	Mounting/Carring case/belt Adapter with a plate to connect to MCR41/42 and a cold" flash shoe on the	40 €
	MCRMNT-BOT	Eng-Film camera slot. Rx: MCR42S	Mounting/Carring case/belt Adapter with a plate to connect to MCR41/42 and a a "cold" male flash shc	80 €
	BCL42	Eng-Film camera slot. Rx: MCR42S	Mounting/Carring case/belt Belt clip factory mounted on FLA42	60 €
	FLA42	Eng-Film camera slot. Rx: MCR42S	Mounting/Carring case/belt Screw-disassemblable back-panel, for camera-hardware mounting (not dri	47 €
	FLA42-SX	Eng-Film camera slot. Rx: MCR42S	Mounting/Carring case/belt Screw-disassemblable back-panel, for camera-hardware mounting (for So	71 €
	VAP42	Eng-Film camera slot. Rx: MCR42S	Mounting/Carring case/belt Carrying case for MCR41/42 Eng Systems.	90 €



















MODELO	FAMILIA	TIPO	DESCRIPCIÓN	PVP	
Receptor Portátil MPR30					
	MPR30-ENG	Eng-Film bodypack Rx: MPR30-ENG	Eng-Film bodypack Rx	UHF TRUE-DIVERSITY BODYPACK RECEIVER - True diversity - up to 232 MHz switching-range (band N:470/700, band M:566/798) - DSP audio treatment: •Wisyscom Componders: ENR,ENC, and ENR-1.2, ENC-1.2 (for enhanced audio profiles for DSLR and C300 cameras) , SEN [HyDin+®], EVO [HDX®], SR[R-Series®], AL •Push to Talk Enabled - Supplied with 2 x AWXL30, 2 x AWxH30 broadband antennas & belt clip Code: MPR30-ENG-<Country>-<Band>-<Colour>-<Connector>-<Other> • Country Configuration: EU Europe • Band: BN 470-700MHz BM 566-798MHz BJ 712-832MHz • Colour BL colour "matt black" • Connector: 3MX mini XLR-3pin 5BY mini XLR-5pin: pin4 and pin5 to power the receiver • Other: 5K 5kHz step (only Band N)	1.470 €
	CAM120-2	Eng-Film bodypack Rx: MPR30-ENG	Audio Cables	AF cable (120 cm), mini XLR-3F / XLR-3M connectors	47 €
	CAM50-2	Eng-Film bodypack Rx: MPR30-ENG	Audio Cables	AF cable (50 cm), mini XLR-3F / XLR-3M connectors	47 €
	CAM30-2	Eng-Film bodypack Rx: MPR30-ENG	Audio Cables	AF cable (30 cm), mini XLR-3F / XLR-3M connectors	47 €
	MPRBAT	Eng-Film bodypack Rx: MPR30-ENG	Battery/Power adapters	Battery charger for MPRBAT	24 €
	MPRLBP	Eng-Film bodypack Rx: MPR30-ENG	Battery/Power adapters	Lithium-ion battery pack CS-KLIC8000 type Rating: 3.7Vdc @1600mAh (5.9Wh)	12 €
	ADTMPR	Eng-Film bodypack Rx: MPR30-ENG	Battery/Power adapters	Power Adapter for MPR30 Power input: 9-18V DC feeding (int. sw regulation). variants: ADTMPR: without connector (pigtail) ADTMPR-X: with XLR-4F connector ADTMPR-H: with Hirose-4F connector	192 €
	UPKMini	Eng-Film bodypack Rx: MPR30-ENG	Control Cables/Box	Infrared programming kit (interface + software) USB interface	100 €
	CAUSBM1	Eng-Film bodypack Rx: MPR30-ENG	Control Cables/Box	Micro USB cable (to configure the MPR30 and to recharge lithium battery)	5 €
	AWN30	Eng-Film bodypack Rx: MPR30-ENG	Antennas	Whip Antenna plastic case sma connector for MPR30 N band (low) Band 470-574MHz (black cap + 520 label)	22 €
	AWNH30	Eng-Film bodypack Rx: MPR30-ENG	Antennas	Whip Antenna plastic case sma connector for MPR30 N band (high) Band 574-700MHz (black cap + 634 label)	22 €
	AWML30	Eng-Film bodypack Rx: MPR30-ENG	Antennas	Whip Antenna plastic case sma connector for MPR30 M band (low) Band 566-654 MHz (black cap + 590 label)	22 €
	AWMH30	Eng-Film bodypack Rx: MPR30-ENG	Antennas	Whip Antenna plastic case sma connector for MPR30 M band (high) Band 654-798MHz (black cap + 725 label)	22 €
	AWN30RA	Eng-Film bodypack Rx: MPR30-ENG	Antennas	Whip Antenna plastic case sma connector 90 deg. for MPR30 N band (low) Band 470-574MHz (black cap + 520 label)	29 €
	AWN30RA	Eng-Film bodypack Rx: MPR30-ENG	Antennas	Whip Antenna plastic case sma connector 90 deg. for MPR30 N band (high) Band 574-700MHz (black cap + 634 label)	29 €
	AWML30RA	Eng-Film bodypack Rx: MPR30-ENG	Antennas	Whip Antenna plastic case sma connector 90 deg. for MPR30 M band (low) Band 566-654 MHz (black cap + 590 label)	29 €
	AWMH30RA	Eng-Film bodypack Rx: MPR30-ENG	Antennas	Whip Antenna plastic case sma connector 90 deg. for MPR30 M band (high) Band 654-798MHz (black cap + 725 label)	29 €
	AWKIT1	Eng-Film bodypack Rx: MPR30-ENG	Antennas	KIT for 10 sma antennas for MCR42/MPR30 with caps and tube	180 €
	AWKIT2	Eng-Film bodypack Rx: MPR30-ENG	Antennas	KIT for 10 sma (90 deg angled) antennas for MCR42/MPR30 with caps ar	230 €
	MPRMNT	Eng-Film bodypack Rx: MPR30-ENG	Mounting/Carring case/belt	Camera shoe mount	30 €












MODELO	FAMILIA	TIPO	DESCRIPCIÓN	PVP
Receptor In-Ear MPR30				
	MPR30-IEM	IEM receivers: MPR30-IEM	IEM receivers	1.250 €
			Bodypack stereo receiver - True diversity - up to 232 MHz switching-range (band N:470/700, band M:566/798) - Supplied with 2 x AWxL30, 2 x AWxH30 broadband antennas & belt clip - ENR-Stereo & ENR-Mono Code: MPR30-IEM-<Country>-<Band>-<Colour>-<Other> ° Country Configuration: EU Europe ° Band: BN 470-700MHz BM 566-798MHz ° Colour BL colour "matt black" ° Other: 5K 5kHz step (only Band N)	
	MPR30-IFB	IEM receivers: MPR30-IEM	IEM receivers	1.250 €
			Bodypack receiver narrowband modulation - True diversity - up to 232 MHz switching-range (band N:470/700, band M:566/798) - Supplied with 2 x AWxL30, 2 x AWxH30 broadband antennas & belt clip - ENR-Mono Code: MPR30-IFB-<Country>-<Band>-<Colour>-<Other> ° Country Configuration: EU Europe ° Band: BN 470-700MHz BM 566-798MHz ° Colour BL colour "matt black" ° Other: 5K 5kHz step (only Band N)	
	MPRBAT	IEM receivers: MPR30-IEM	Battery/Power adapters	24 €
	MPRLBP	IEM receivers: MPR30-IEM	Battery/Power adapters	12 €
	ADTMPR	IEM receivers: MPR30-IEM	Battery/Power adapters	192 €
	UPKMini	IEM receivers: MPR30-IEM	Control Cables/Box	100 €
	CAUSBM1	IEM receivers: MPR30-IEM	Control Cables/Box	5 €
	AWN30	IEM receivers: MPR30-IEM	Antennas	22 €
	AWN30	IEM receivers: MPR30-IEM	Antennas	22 €
	AWML30	IEM receivers: MPR30-IEM	Antennas	22 €
	AWMH30	IEM receivers: MPR30-IEM	Antennas	22 €
	AWN30RA	IEM receivers: MPR30-IEM	Antennas	29 €
	AWN30RA	IEM receivers: MPR30-IEM	Antennas	29 €
	AWML30RA	IEM receivers: MPR30-IEM	Antennas	29 €
	AWMH30RA	IEM receivers: MPR30-IEM	Antennas	29 €
	AWKIT1	IEM receivers: MPR30-IEM	Antennas	180 €
	AWKIT2	IEM receivers: MPR30-IEM	Antennas	230 €
	MPRMNT	IEM receivers: MPR30-IEM	Mounting/Carring case/belt	30 €

MODELO	FAMILIA	TIPO	DESCRIPCIÓN	PVP
Emisor para MPR30				
	MTK952N-2W0-EUX DDS transmitter: MTK952	DDS transmitter	UHF RACK TRANSMITTER 330 MHz BANDWIDTH - MONO/STEREO/INTERCOM digital direct synthesis (DDS) Modes: ENR-Stereo, ENC-Stereo, SR-Stereo, EVO-Stereo, ENR-Wisy(Mono), ENC-Wisy(Mono), IFB-Wisy(Mono), EVO [HDX@](Mono), SEN [HyDin+@](Mono), SEN-d0[HyDin+@](Mono), COM-Wisy 25k(Mono), COM-Wisy 20k(Mono), COM-Wisy 12K5(Mono) - DSP audio with low latency and AES3 input - 10mW-2W 470-800MHz mono/stereo TX- N connector Code: MTK952N-2W0-EUX-<Options>	5.000 €
	MTK952N-0W2-EUX DDS transmitter: MTK952	DDS transmitter	UHF RACK TRANSMITTER 330 MHz BANDWIDTH - MONO/STEREO/INTERCOM digital direct synthesis (DDS) Modes: ENR-Stereo, ENC-Stereo, SR-Stereo, EVO-Stereo, ENR-Wisy(Mono), ENC-Wisy(Mono), IFB-Wisy(Mono), EVO [HDX@](Mono), SEN [HyDin+@](Mono), SEN-d0[HyDin+@](Mono), COM-Wisy 25k(Mono), COM-Wisy 20k(Mono), COM-Wisy 12K5(Mono) - DSP audio with low latency and AES3 input - 10-200mW 470-800MHz mono/stereo TX- N connector Code: MTK952N-0W2-EUX-<Options>	4.000 €
	MTK952N-0W2-EU DDS transmitter: MTK952	DDS transmitter	UHF RACK TRANSMITTER 330 MHz BANDWIDTH - MONO/STEREO/INTERCOM digital direct synthesis (DDS) Modes: ENR-Stereo, ENC-Stereo, SR-Stereo, EVO-Stereo, ENR-Wisy(Mono), ENC-Wisy(Mono), IFB-Wisy(Mono), EVO [HDX@](Mono), SEN [HyDin+@](Mono), SEN-d0[HyDin+@](Mono), COM-Wisy 25k(Mono), COM-Wisy 20k(Mono), COM-Wisy 12K5(Mono) - DSP audio with low latency and AES3 input - 10-50mW 470-800MHz mono/stereo TX- N connector Code: MTK952N-0W2-EU-<Options>	3.700 €
	MTK952N-0W2-JP DDS transmitter: MTK952	DDS transmitter	UHF RACK TRANSMITTER 330 MHz BANDWIDTH - MONO/STEREO/INTERCOM digital direct synthesis (DDS) Modes: ENR-Stereo, ENC-Stereo, SR-Stereo, JNR(Mono), JNC(Mono), IFB-Wisy(Mono) - DSP audio with low latency and AES3 input - 10mW 470-714 MHz mono/stereo TX- N connector Code: MTK952N-0W2-JP-<Options>	3.700 €
MS opt.MTK952N	DDS transmitter: MTK952	Option	MASTER-SLAVE configuration for isofrequency network NOTE: only for MTK952N	200 €
DC opt. MTK952N	DDS transmitter: MTK952	Option	10÷19 VDC (NOTE: increased to 10÷28 Vdc from now on)	400 €

MODELO	FAMILIA	TIPO	DESCRIPCIÓN	PVP	
Emisor micro de Mano MTH400					
	MTH400	Handheld Transmitters: MTH400	Handheld Transmitters	UHF HANDHELD TRANSMITTER (2 x AA batteries) - 470 + 798 MHz. up to 230 MHz switching-range - Dual Comander, low intermod. (phase cancelling) Code: MTH400-<Country>-<Frequency Range>-<Colour>: ° Country Power Profile: EU Europe (max power 50mW) EUX Europe (max power 100mW) JP Japan (max power 10mW, limited Japan freq. range) NZ New Zealand (max power 100mW, limited NZ freq. range) AU Australia (max power 100mW, limited Australia freq. range) ° Frequency range: B1 band 1 470+640MHz B2 band 2 566+798MHz B3 band 3 510+698MHz ° Colour: BL colour "matt black" PV colour "titanium grey"	1.668 €
	MTH400-LITE	Handheld Transmitters: MTH400	Handheld Transmitters	UHF HANDHELD TRANSMITTER (2 x AA batteries) - 470 + 798 MHz. up to 230 MHz switching-range - Dual Comander, low intermod. (phase cancelling) Code: MTH400-<Country>-<Frequency Range>-<Colour>: ° Frequency range: EA band EA 470-578MHz EB band EA 550-640MHz EC band EA 566-654MHz ED band EA 638-726MHz EE band EA 710-798MHz FG band EA 470-566MHz FH band EA 542-640MHz FI band EA 566-686MHz FK band EA 520-640MHz FL band EA 678-798MHz ° Colour: BL colour "matt black" PV colour "titanium grey"	1.400 €
	MCM301	Handheld Transmitters: MTH400	Microphones & Audio Adapters	Premium custom Schoeps condenser cardioid microphone head	912 €
	MCM302	Handheld Transmitters: MTH400	Microphones & Audio Adapters	Premium custom Milab condenser cardioid microphone head	492 €
	MCM303	Handheld Transmitters: MTH400	Microphones & Audio Adapters	Premium custom Schoeps condenser hyper-cardioid microphone head	1.182 €
	MCM304	Handheld Transmitters: MTH400	Microphones & Audio Adapters	Premium custom Milab condenser omnidirectional microphone head	654 €
	MCM306	Handheld Transmitters: MTH400	Microphones & Audio Adapters	Premium DPA capsule super-cardioid microphone head - Extended dynamic - Dumping construction for ultra-low handling noise	620 €
	PTT301-x	Handheld Transmitters: MTH400	Microphones & Audio Adapters	Push to talk accessory for MTH300 Small profile 14mm - x = B: Black Color, P:Titanium gray	294 €
	PTT305-x	Handheld Transmitters: MTH400	Microphones & Audio Adapters	Push to talk accessory for MTH300 High profile 50mm to use with windshields. - x = B: Black Color, P:Titanium gray	306 €
	SRE300-x	Handheld Transmitters: MTH400	Microphones & Audio Adapters	Mechanical/Electronic adapter to use SHURE (*) mic heads type Beta 58/87/KSM9 . Small profile 11 mm - x = B: Black Color, P:Titanium gray (*) Shure is a registered trademark of Shure Incorporated	234 €
	SRE301-x	Handheld Transmitters: MTH400	Microphones & Audio Adapters	Mechanical/Electronic adapter to use Sennheiser (*) mic. heads type KK, ME and MD - x = B: Black Color, P:Titanium gray (*) Sennheiser is a registered trademark of Sennheiser Electronic GmbH	234 €
	UPKMini	Handheld Transmitters: MTH400	Control Cables/Box	Infrared programming kit (interface + software) USB interface	100 €
	SMC300	Handheld Transmitters: MTH400	Others	Stand mount clamp for MTH300	10 €
	WMM300	Handheld Transmitters: MTH400	Others	Foam windshield for MCM3xx microphone head height 70mm out-diam. 60mm inner-diam. 50/40mm	17 €
	CASE300	Handheld Transmitters: MTH400	Others	Wooden case for MTH300 handheld and MIC accessories	consultar

MODELO	FAMILIA	TIPO	DESCRIPCIÓN	PVP
Emisor Petaca MTP				
	MTP40S	Bodypack transmitters: MTP4x	Bodypack transmitters	2.160 €
			<p>UHF POCKET MINIATURE TRANSMITTER 100mW (2 x AA batteries)</p> <ul style="list-style-type: none"> - 470 ÷ 798 MHz, up to 230 MHz switching-range - Low intermod (dual rf amplifier with phase cancelling) - 30 dB HW limiter & Dual Compander ENR / ENC - Support 48v phantom powering (with PHA48) - The unit is supplied with 2 whip antennas + belt clip <p>Code: MTP40S-<Country>-<Frequency Range>-<Colour>-<Connector>-<optADT>:</p> <ul style="list-style-type: none"> ◦ Country Power Profile: <ul style="list-style-type: none"> EU Europe (max power 50mW) EUX Europe (max power 100mW) JP Japan (max power 10mW, limited Japan freq. range) NZ New Zealand (max power 100mW, limited NZ freq. range) AU Australia (max power 100mW, limited Australia freq. range) ◦ Frequency range: <ul style="list-style-type: none"> B1 band 1 470+640MHz B2 band 2 566+798MHz B3 band 3 510+698MHz ◦ Colour: <ul style="list-style-type: none"> BL colour "matt black" PV colour "titanium grey" ◦ Connector: <ul style="list-style-type: none"> LM 3pin LEMO connector DP 2pin microdot connector ◦ Option <ul style="list-style-type: none"> ADT hole in the housing for ADT40 	
	MTP40S-LITE	Bodypack transmitters: MTP4x	Bodypack transmitters	1.500 €
			<p>UHF POCKET MINIATURE TRANSMITTER (2 x AA batteries)</p> <ul style="list-style-type: none"> - 470 ÷ 798 MHz, up to 120 MHz switching-range - Dual Compander, low intermod. (phase cancelling), 48v powering (with PHA48) - The unit is supplied with whip antenna + belt clip - Lemo connector, Black finishing <p>Code: MTP40S-<Country>-<Frequency Range>-BL-LM-<optADT>:</p> <ul style="list-style-type: none"> ◦ Frequency range: <ul style="list-style-type: none"> EA band EA 470-578MHz EB band EA 550-640MHz EC band EA 566-654MHz ED band EA 638-726MHz EE band EA 710-798MHz FG band EA 470-566MHz FH band EA 542-640MHz FI band EA 566-686MHz FK band EA 520-640MHz FL band EA 678-798MHz ◦ Colour: <ul style="list-style-type: none"> BL colour "matt black" ◦ Connector: <ul style="list-style-type: none"> LM 3pin LEMO connector ◦ Option <ul style="list-style-type: none"> ADT hole in the housing for ADT40 	
	MTP41	Bodypack transmitters: MTP4x	Bodypack transmitters	2.000 €
			<p>UHF POCKET MINIATURE TRANSMITTER (1 x AA batteries)</p> <ul style="list-style-type: none"> - 470 ÷ 798 MHz, up to 230 MHz switching-range - Dual Compander - The unit is supplied with 2 whip antennas + belt clip <p>Code: MTP41-<Country>-<Frequency Range>-<Colour>-<Connector>:</p> <ul style="list-style-type: none"> ◦ Country Power Profile: <ul style="list-style-type: none"> EU Europe (max power 50mW) JP Japan (max power 10mW, limited Japan freq. range) NZ New Zealand (max power 50mW, limited NZ freq. range) AU Australia (max power 50mW, limited Australia freq. range) ◦ Frequency range: <ul style="list-style-type: none"> B1 band 1 470+640MHz B2 band 2 566+798MHz B3 band 3 510+698MHz ◦ Colour: <ul style="list-style-type: none"> BL colour "matt black" PV colour "titanium grey" ◦ Connector: <ul style="list-style-type: none"> LM 3pin LEMO connector DP 2pin microdot connector 	

MODELO	FAMILIA	TIPO	DESCRIPCIÓN	PVP	
Adaptadores					
	PHA48	Bodypack transmitters: MTP4x	Microphones & Audio Adapters	Plug-on for XLR3 Mic with 48V Phantom power. - To be used with CAL48 (connected to an MTP40S/MTP40/MTP30) NEW REV2 with 4mA Phantom current!	264 €
	CAD30	Bodypack transmitters: MTP4x	Audio Cables	Cable adapter, with AF male connector and 1 + 1 female connectors (for r	164 €
	CAL48	Bodypack transmitters: MTP4x	Audio Cables	Cable to connect: -MTP30 (with option /PHA) or MTP40 & - PHA48 to use microphone with XL3/48V connection	90 €
	CAL120	Bodypack transmitters: MTP4x	Audio Cables	AF cable (120cm), LEMO 3pole / XLR-3F connectors compatible with MTP30/40/41	88 €
	ADT40	Bodypack transmitters: MTP4x	Battery/Power adapters	Power Adapter for MTP30/40/40S with XLR 3 M power connector with self reset fuse. Power input: 9-18V DC feeding (internal switching regulation and transformer isolation). ADT40: without connector (pigtail) ADT40X: with XLR-4pin power connector ADT40H: with Hirose-4pin power connector NOTE: MTP30/MTP40/40S must have ADT option to pass thru cable,	174 €
	UPKMini	Bodypack transmitters: MTP4x	Control Cables/Box	Infrared programming kit (interface + software) USB interface	100 €
	AWF30-Bx	Bodypack transmitters: MTP4x	Antennas	Whip Antenna UHF for MTP40S/40/41 AWF30-B1-507: band 1 range 470 + 547 MHz AWF30-B1-590: band 1 range 547 + 640 MHz AWF30-B2-616: band 2 range 566 + 672 MHz AWF30-B2-732: band 2 range 672 + 798 MHz AWF30-B2-552: band 3 range 510 + 595 MHz AWF30-B2-646: band 3 range 595 + 698 MHz	48 €
	AWKIT3	Bodypack transmitters: MTP4x	Antennas	KIT for 10 lemo antennas for lemo with caps and tube MTPxx	400 €
	MTB40S	Plug-on transmitters: MTB40S	Plug-on transmitters	UHF PLUG ON TRANSMITTER (2 x AA batteries) - 470 + 798 MHz, up to 232 MHz switching-range - Dual Componder, low intermod. (phase cancelling), 48v powering with audio transformer (XLR 3F) Code: MTB40S-<Country>-<Frequency Range>-<Colour>: Country Power Profile: EU Europe (max power 50mW) EUX Europe (max power 100mW) Frequency range: B1 band 1 470+640MHz B2 band 2 566+798MHz B3 band 3 510+698MHz Colour: PV colour "titanium grey"	1.250 €
	UPKMini	Plug-on transmitters: MTB40S	Control Cables/Box	Infrared programming kit (interface + software) USB interface	100 €
Antenas					
	ABN00	RF Distribution:	Antennas	Active Groundplane Antenna VHF/UHF - VHF (130M+250MHz): 10MHz band, ampl. 14 dB gain - UHF (470+880MHz): 25MHz band, ampl. 11.5 dB gain - Power 12V @ 120mA thru coaxial cable - N-female connector	730 €
	AGN00	RF Distribution:	Antennas	Groundplane Antenna VHF/UHF - N-female connector	216 €
	LBN1	RF Distribution:	Antennas	Wide-band antenna (450-890 MHz), 6 db max gain, 50 Ohm impedance on Bnc connector	270 €
	LNN1	RF Distribution:	Antennas	Wide-band antenna (450-890 MHz), 6 db max gain, 50 Ohm impedance on N connector	270 €
	LBNA	RF Distribution:	Antennas	Directive Wide-band antenna (470-870 MHz). Integrated booster Wideband Antenna amplifier UHF 470-870 15 dB gain selectable - 43 dBm OIP3 - Power 12V @ 100 mA thru coax - BNC-female connectors	834 €
	LNNA	RF Distribution:	Antennas	Directive Wide-band antenna (470-870 MHz). Integrated booster Wideband Antenna amplifier UHF 470-870 15 dB gain selectable - 43 dBm OIP3 - Power 12V @ 100 mA thru coax - N-female connectors	834 €
	BAA	RF Distribution:	Antenna boosters	Wideband Antenna amplifier UHF 470-870 15 dB gain selectable - 43 dBm OIP3 - Power 12V @ 100 mA thru coax - BNC-female connectors	474 €
	BAW	RF Distribution:	Antenna boosters	Wideband Antenna amplifier UHF 470-670MHz (BAW-L) 630-870MHz (BAW-H) 470-700MHz (BAW-N) 470-800MHz (BAW-X) other on request 22 dB gain selectable - 47 dBm OIP3 - Power 12V @ 600 mA thru coax - N-female connectors	900 €

MODELO	FAMILIA	TIPO	DESCRIPCIÓN	PVP	
Combinadores RF					
	MAT283	RF Distribution:	RF Combiners	Wideband (470-870) Matrix/Combiner: 2 x 8 in → 3 out combined - Active 3 dB gain (-A for +7dB gain option) - 45 dBm OIP3 - remote monitor/configuration thru Ethernet/USB - 8 Gpio Input and 3 Gpio Output (remotable)	7.140 €
	MAT288	RF Distribution:	RF Combiners	Wideband (150-840 MHz) diversity combiner: - 8:1 OR 8:4 OR 2 x 4:1 (diversity) Programmable attenuator on input DC power supply (Optional) Code: MAT288-<Country>-< Option> Country Power cord: EU Europe power cord	consultar
	DC opt. MAT288	RF Distribution:	RF Combiners	AC connector 90+264Vac / T2A, 47+63Hz DC connector 10+ 28 VDC (fuse protected) 12A max (optional)	consultar
	CMA231	RF Distribution:	RF Combiners	Remotable Antenna selector (2 x 1 out 3 independently selectable) - 19"/1U rack - Bidirectional: 6 antenna feeds (6 x 2 N-Female) into 2 antenna feeds (2 N-Female) - Remotable	1.824 €
	CMA4/2	RF Distribution:	RF Combiners	Remotable Antenna selector (true diversity: 2 to 1) - 19"/1U rack - Bidirectional:2 antenna coup.(2x2 N-F)into 1 antenna couple(2 NF)- Remotable	1.116 €
	CMA6/2	RF Distribution:	RF Combiners	Remotable Antenna selector (true diversity: 3 to 1) - 19"/1U rack - Bidirectional: 3 antenna couples (3 x 2 N-F) into 1 antenna couple (2 NF) - Remotable	1.668 €
	SPA4/2	RF Distribution:	RF Combiners	Antenna combiner, passive. 2 x 2/1, with antenna powering. 220 Vac mains (in rack 19"/1U)	1.068 €
	SPA4/2-A	RF Distribution:	RF Combiners	Antenna combiner, active. 2 x 2/1, with antenna powering. 220 Vac mains (in rack 19"/1U)	1.668 €
	SPA6/2	RF Distribution:	RF Combiners	Antenna combiner, passive. 2 x 3/1, with antenna powering. 220 Vac mains (in rack 19"/1U)	1.272 €
	SPA6/2-A	RF Distribution:	RF Combiners	Antenna combiner, active. 2 x 3/1, with antenna powering. 220 Vac mains (in rack 19"/1U)	1.872 €
Splitters RF					
	SPL414AW	RF Distribution:	RF Splitters	Wideband (470-870 MHz) Active Antenna splitter: 4 x 1/4 remote booster powering 700mA, 10-16VDC + 90-264Vac 47-60Hz mains (rack 19"/1U) NOTE Designed also to be used with MAT2x3 systems	2.148 €
	SPL222	RF Distribution:	RF Splitters	Wideband (470-870) Combiner/Splitter integrated: - Combiner (2 x 2:1) → Splitter (2 x 1:2) Combine 2 diversity Antenna's and split to feed 2 diversity receiver groups	948 €
	SPL214AW	RF Distribution:	RF Splitters	Wideband (470-890 MHz) Active Antenna splitter: 2 x 1/4 remote booster powering 700mA, 10-16 VDC + 90-264Vac 47-60Hz mains (rack 19"/1U)	1.620 €
	SPL218AW	RF Distribution:	RF Splitters	Wideband (470-890 MHz) Active Antenna splitter: 2 x 1/8 remote booster powering 700mA, 10-16VDC + 90-264Vac 47-60Hz mains (rack 19"/1U)	2.148 €
	CSA121A	RF Distribution:	RF Combiners & Splitters	Powered Wideband combiner/splitter (450-870 MHz) - 4 dB loss - Combiner (1 x 2:1) or Splitter (1 x 1:2) - Powering 1.5 A @ 12 with a 230V power supply (included)	234 €
	CSA121B	RF Distribution:	RF Combiners & Splitters	Powered Wideband combiner/splitter (450-870 MHz) - 4 dB loss - Combiner (1 x 2:1) or Splitter (1 x 1:2) USABLE AS COMBINER FOR POWER TRANSMITTER (up 2W)	258 €
	CSA121T	RF Distribution:	RF Combiners & Splitters	Powered Wideband combiner/splitter (450-870 MHz) - 4 dB loss - Combiner (1 x 2:1) or Splitter (1 x 1:2) USABLE AS COMBINER FOR POWER TRANSMITTER (up 3W) Data link thru coax with MTK952N (hw>=5) to active compensate combiner losses	258 €
	CSA221	RF Distribution:	RF Combiners & Splitters	Diversity Wideband combiner/splitter (450-870 MHz) - 4 dB loss - Combiner (2 x 2:1) or Splitter (2x 1:2) - DC-coupled for use with antenna boosters (1.5 Amp max)	234 €
	CSR414W	RF Distribution:	RF Combiners & Splitters	4X4 WAY RF SPLITTER/COMBINER (470-800 MHz) - 6.5 dB loss (1+4) - passive wideband 4x4 way RF Splitter/Combiner that can manage up to 1W power - designed to combine different areas, covered by antennas	consultar
	CSR181W	RF Distribution:	RF Combiners & Splitters	8 WAY RF COMBINER (470-800 MHz) - 10 dB los - passive wideband 8 way RF Combiner that can manage up to 3W power in input.	consultar
	CSR188W	RF Distribution:	RF Combiners & Splitters	8 WAY RF COMBINER/SPLITTER (470-800 MHz) - 20 dB los - passive wideband 8 way RF Combiner/Splitter that can manage up to 3W power in input - designed to combine different signals and split the result to cover different areas by antennas	consultar
	CAN005	RF Distribution:	Rf Cables	RG58 Antenna Cable: 5m with N-M / N-M connectors	30 €
	CAN010	RF Distribution:	Rf Cables	RG213 Antenna Cable: 10m with N-M / N-M connectors	60 €
	CAN015	RF Distribution:	Rf Cables	RG213 Antenna Cable: 15m with N-M / N-M connectors	90 €
	CAN020	RF Distribution:	Rf Cables	RG213 Antenna Cable: 20m with N-M / N-M connectors	108 €
	CAN025	RF Distribution:	Rf Cables	RG213 Antenna Cable: 25m with N-M / N-M connectors	126 €
	CAN030	RF Distribution:	Rf Cables	RG213 Antenna Cable: 30m with N-M / N-M connectors	144 €
	CAN050	RF Distribution:	Rf Cables	RG213 Antenna Cable: 50m with N-M / N-M connectors	216 €
	CANB05	RF Distribution:	Rf Cables	RG58 Antenna Cable: 5m with N-M / BNC-M connectors	54 €
	CANB10	RF Distribution:	Rf Cables	RG58 Antenna Cable: 10m with N-M / BNC-M connectors	60 €
	CNGT11	RF Distribution:	Others	adapter N-M/BNC-F	12 €